

# SAFETY DATA SHEET ACCORDING TO ANNEX II TO REACH - REGULATION 2015/830

## SECTION 1.

### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Cable lubricating compound FOAM 400 ml - 20522

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Intended use:** Electrical cable lubricant water based. Specific foam to reduce the friction during cable laying

#### 1.3 Details of the supplier of the safety data sheet

RUNPOTEC GmbH | Irlachstraße 31 | A-5303 Thalgau  
Tel.: +43-6235-20335 | Fax: +43-6235-20335-35  
office@runpotec.com | www.runpotec.com

#### 1.4 Emergency telephone number

Emergency information services / public advisory office:

AUSTRIA: Vergiftungsinformationszentrale der Gesundheit Österreich GmbH, Wien.

NOTRUF Tel.: 01 406 43 43 (von außerhalb Österreichs Tel.: +43 1406 43 43)

Switzerland: Tox Info Suisse, Freiestrasse 16, CH-8032 Zürich. Nationale 24h-Notfallnummer: 145

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

#### Hazard classification and indication:

Aerosol, category 3

H229

Pressurised container: may burst if heated.

### 2.2 Label elements

**Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.**

Hazard pictograms:

--

Signal words:

Warning

#### Hazard statements:

H229

Pressurised container: may burst if heated.

#### Precautionary statements:

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251

Do not pierce or burn, even after use.

P410+P412

Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

### 2.3 Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## Cable lubricating compound FOAM | Item no. 20522

### SECTION 3. Composition/information on ingredients

#### 3.1 Substances

Information not relevant

#### 3.2 Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EU) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

### SECTION 4. First aid measures

#### 4.1 Description of first aid measures

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary:

##### INHALATION:

Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

##### INGESTION:

Get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person.

##### EYES and SKIN:

Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Information not available

### SECTION 5. Firefighting measures

#### 5.1 Extinguishing media

##### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

##### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2 Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE.

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

#### 5.3 Advice for firefighters

##### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

##### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## Cable lubricating compound FOAM | Item no. 20522

### SECTION 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2 Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3 Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4 Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### SECTION 7. Handling and storage

#### 7.1 Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

#### Storage class TRGS 510 (Germany):

2B

#### 7.3 Specific end use(s)

Information not available

### SECTION 8. Exposure controls/personal protection

#### 8.1 Control parameters

Information not available

#### 8.2 Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

#### HAND PROTECTION

None required.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

## Cable lubricating compound FOAM | Item no. 20522

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type A filter combined with a type P filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	foam
Colour	white
Odour	none
Odour threshold	Not available
pH	8
Melting point / freezing point	Not available
Initial boiling point	Not applicable
Boiling range	Not available
Flash point	> 100 °C
Evaporation Rate	Not available
Flammability of solids and gases	not flammable
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	not applicable
Oxidising properties	not applicable

### 9.2 Other information

VOC (Directive 2010/75/EC):	7,00 % – 21,00 g/litre
VOC (volatile carbon):	3,31 % – 9,00 g/litre

## SECTION 10. Stability and reactivity

### 10.1 Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2 Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3 Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4 Conditions to avoid

Avoid overheating.

**Cable lubricating compound FOAM | Item no. 20522**

**10.5 Incompatible materials**

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

**10.6 Hazardous decomposition products**

Information not available

**SECTION 11. Toxicological information**

**11.1 Information on toxicological effects**

**METABOLISM, TOXICOKINETICS, MECHANISM OF ACTION AND OTHER INFORMATION**

Information not available

**Information on likely routes of exposure**

Information not available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Information not available

**Interactive effects**

Information not available

**ACUTE TOXICITY**

LC50 (Inhalation) of the mixture:

Not classified (no significant component)

LD50 (Oral) of the mixture:

Not classified (no significant component)

LD50 (Dermal) of the mixture:

Not classified (no significant component)

**SKIN CORROSION / IRRITATION**

Does not meet the classification criteria for this hazard class

**SERIOUS EYE DAMAGE / IRRITATION**

Does not meet the classification criteria for this hazard class

**RESPIRATORY OR SKIN SENSITISATION**

Does not meet the classification criteria for this hazard class

**GERM CELL MUTAGENICITY**

Does not meet the classification criteria for this hazard class

**CARCINOGENICITY**

Does not meet the classification criteria for this hazard class

**REPRODUCTIVE TOXICITY**

Does not meet the classification criteria for this hazard class

**STOT - SINGLE EXPOSURE**

Does not meet the classification criteria for this hazard class

**STOT - REPEATED EXPOSURE**

Does not meet the classification criteria for this hazard class

**ASPIRATION HAZARD**

Does not meet the classification criteria for this hazard class

**Cable lubricating compound FOAM | Item no. 20522****SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

**12.1 Toxicity**

Information not available

**12.2 Persistence and degradability**

Information not available

**12.3 Bioaccumulative potential**

Information not available

**12.4 Mobility in soil**

Information not available

**12.5 Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**12.6 Other adverse effects**

Information not available

**SECTION 13. Disposal considerations****13.1 Waste treatment methods**

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
Waste transportation may be subject to ADR restrictions.

**CONTAMINATED PACKAGING**

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information****14.1 UN number**

ADR/RID, IMDG, IATA: 1950

**14.2. UN proper shipping name**

ADR/RID: AEROSOLS  
IMDG: AEROSOLS  
IATA: AEROSOLS, NON-FLAMMABLE

**14.3. Transport hazard class(es)**

ADR / RID:	Class: 2	Label: 2.2	
IMDG:	Class: 2	Label: 2.2	
IATA:	Class: 2	Label: 2.2	

**14.4. Packing group**

ADR/RID, IMDG, IATA -

**14.5 Environmental hazards**

ADR / RID: NO  
IMDG: NO  
IATA: NO

**Cable lubricating compound FOAM | Item no. 20522****14.6 Special precautions for user**

ADR /RID:	HIN - Kemler: --	Limited Quantities: 1 L	Tunnel restriction code: (E)
	Special Provision: -		
IMDG:	EMS: F-D, S-U	Limited Quantities: 1 L	
IATA:	Cargo	Maximum quantity: 200 Kg	Packaging instructions: 677
	Pass.	Maximum quantity: 100 Kg	Packaging instructions: 670
	Special Instructions		

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Information not relevant

**SECTION 15. Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EC: None

RESTRICTIONS RELATING TO THE PRODUCT OR CONTAINED SUBSTANCES PURSUANT TO ANNEX XVII TO EC  
REGULATION 1907/2006  
None

SUBSTANCES IN CANDIDATE LIST (ART. 59 REACH)  
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV REACH)  
None

SUBSTANCES SUBJECT TO EXPORTATION REPORTING PURSUANT TO (EC) REG. 649/2012:  
None

SUBSTANCES SUBJECT TO THE ROTTERDAM CONVENTION:  
None

SUBSTANCES SUBJECT TO THE STOCKHOLM CONVENTION:  
None

HEALTHCARE CONTROLS:  
Information not available

GERMAN REGULATION ON THE CLASSIFICATION OF SUBSTANCES HAZARDOUS TO WATER (VWVWS 2005)  
WGK 1: Low hazard to waters

**15.2 Chemical safety assessment**

No chemical safety assessment has been processed for the mixture and the substances it contains.

**SECTION 16. Other information****Text of hazard (H) indications mentioned in section 2-3 of the sheet:**

Aerosol 3                      Aerosol, category 3  
H229                          Pressurised container: may burst if heated.

## Cable lubricating compound FOAM | Item no. 20522

### LEGEND:

- ADR:	European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER:	Chemical Abstract Service Number
- CE50:	Effective concentration (required to induce a 50% effect)
- CE NUMBER:	Identifier in ESIS (European archive of existing substances)
- CLP:	EC Regulation 1272/2008
- DNEL:	Derived No Effect Level
- EmS:	Emergency Schedule
- GHS:	Globally Harmonized System of classification and labeling of chemicals
- IATA DGR:	International Air Transport Association Dangerous Goods Regulation
- IC50:	Immobilization Concentration 50%
- IMDG:	International Maritime Code for dangerous goods
- IMO:	International Maritime Organization
- INDEX NUMBER:	Identifier in Annex VI of CLP
- LC50:	Lethal Concentration 50%
- LD50:	Lethal dose 50%
- OEL:	Occupational Exposure Level
- PBT:	Persistent bioaccumulative and toxic as REACH Regulation
- PEC:	Predicted environmental Concentration
- PEL:	Predicted exposure level
- PNEC:	Predicted no effect concentration
- REACH:	EC Regulation 1907/2006
- RID:	Regulation concerning the international transport of dangerous goods by train
- TLV:	Threshold Limit Value
- TLV CEILING:	Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL:	Short-term exposure limit
- TWA:	Time-weighted average exposure limit
- VOC:	Volatile organic Compounds
- vPvB:	Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK:	Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.